



October 12, 2005

Bill Spiewak

CONSULTING ARBORIST

Con Murphy

Registered Consulting Arborist #381 • American Society of Consulting Arborists

Susan Van Atta Associates

235 Palm Ave

Santa Barbara, CA 93103

730-7444

PRELIMINARY: WHOLE FOODS TREE INVENTORY

See the site map for the location of the trees by corresponding number and a repetition of most of the notes. I circled groups or individual trees on the site map (also indicated below in the comment column below) that may be worth preserving. Palms growing around the bank and smaller trees at Taco Bell and around the bank less than 6" DBH are not included in this inventory.

Condition ratings are good, fair and poor.

Good = trees with good structure and are higher in vigor (healthier)

Fair = the average – good structure but low in vigor. Most trees are fair due to prior insect problems and water deficits to root systems. Several fair condition trees are worth keeping if possible but maintenance is necessary and increased root area will benefit health.

Poor = poor structure and low vigor.

Tree #	Type	DBH (inches)	Condition Health/ Structure	Comments
1	Lemon gum eucalyptus (<i>Eucalyptus citrodora</i>)	17	Fair	
2	Lemon gum eucalyptus	14	Fair	
3	Lemon gum eucalyptus	13	Fair	
4	Lemon gum eucalyptus	10	Good	
5	Lemon gum eucalyptus	16	Fair	
6	Lemon gum eucalyptus	21	Good	
7	Lemon gum eucalyptus	14	Poor	leaner
8	Lemon gum eucalyptus	14	Fair	
9	Lemon gum eucalyptus	10	Fair	
10	Lemon gum eucalyptus	16	Fair	Nice group
11	Lemon gum eucalyptus	14	Good	
12	Lemon gum eucalyptus	9	Poor	

13	Melaleuca	6	Fair	Hedged/poor
14	Melaleuca	5	Fair	
15	Melaleuca	8	Fair	
16	Melaleuca	8	Fair	
17	Lemon gum eucalyptus	15	Fair	
18	Lemon gum eucalyptus	11	Poor	
19	Lemon gum eucalyptus	22	Good	Great tree
20	Lemon gum eucalyptus	22	Fair	
21	Lemon gum eucalyptus	13	Fair	
22	Lemon gum eucalyptus	16	Fair	Nice group although #23 is best
23	Lemon gum eucalyptus	19	Good	
24	Lemon gum eucalyptus	11	Poor	
25	Lemon gum eucalyptus	16	Fair	Okay group – could be better with care
26	Lemon gum eucalyptus	13	Fair	
27	Lemon gum eucalyptus	12	Poor	
28	Lemon gum eucalyptus	15	Poor	
29	Lemon gum eucalyptus	9	Poor	
30	Lemon gum eucalyptus	18	Good	Great tree
31	Lemon gum eucalyptus	16	Fair	Not worth keeping
32	Lemon gum eucalyptus	16	Poor	Pitiful
33	Lemon gum eucalyptus	11	Fair	Not worth keeping
34	Lemon gum eucalyptus	18	Fair	
35	Lemon gum eucalyptus	9	Fair	
36	Lemon gum eucalyptus	14	Good	Nice group
37	Lemon gum eucalyptus	19	Good	
38	Lemon gum eucalyptus	20	Good	Nice tree
39	Lemon gum eucalyptus	13	Fair	Not worth it
40	Lemon gum eucalyptus	16	Poor	
41	Lemon gum eucalyptus	18	Good	Nice tree but not best

42	Carrotwood	11	Fair	Suppressed crowns from overhanging city podocarpus
43	Carrotwood	13	Fair	
44	Carrotwood	12	Fair	
45	Carrotwood	13	Fair	
46	Lemon gum eucalyptus	16	Fair	Not great
47	Carrotwood	22	Fair	Large wound at low major crotch
48	Lemon gum eucalyptus	18	Fair	Not great
49	Lemon gum eucalyptus	14	Fair	
50	Lemon gum eucalyptus	13	Fair	Nice group although needs care
51	Lemon gum eucalyptus	17	Fair	
52	Lemon gum eucalyptus	21	Fair	
53	Coral (<i>Erythrina coralloides</i>)	28	Good	
54	Coral	20	Good	Corals are all good, perhaps you can check on relocation
55	Coral	9/11/14/21	Good	
56	Coral	26	Good	
57	Coral	22/14/8	Good	
58	Coral	16/10/10/12	Good	
59	Coral	16/14/10	Good	
60	Oak	12	Good	Nice tree, beware south side root ball on retaining wall
61	Lemon gum eucalyptus	9	Fair	
62	Avocado	22	Good	
63	Lemon gum eucalyptus	10	Good	Smaller tree but nice
64	Ash	6	Poor	
65	Oak	14	Poor	
66	Koelreutaria	9	Good	
67	Ash	8	Poor	
68	Desert willow	5/7	Good	
69	Peppermint leaf eucalyptus	7	Good	
70	Tristania conferta	8	Good	City street trees - #81 may conflict with new driveway
71	Tristaneopsis laurina	7	Good	
72	Tristaneopsis laurina	8	Fair	
73	Tristaneopsis laurina	10	Good	
74	Tristaneopsis laurina	10	Good	
75	Podocarpus gracilior	22	Good	

76	Podocarpus gracilior	21	Good	City trees #81 may conflict with new driveway
77	Podocarpus gracilior	18	Good	
78	Podocarpus gracilior	24	Good	
79	Podocarpus gracilior	21	Good	
80	Podocarpus gracilior	16	Good	
81	Podocarpus gracilior	18	Good	
82	Podocarpus gracilior	17	Good	
83	Podocarpus gracilior	17	Good	
84	Sycamore	3/3/4/5	Good	Remove the 4" trunk before it gets big and falls onto people
85	Oak	12	Good	CRZ out of project zone
86	Sycamore	12	Good	
87	Oak	48	Good	Great tree needs protecting -use permeable driveway that does not require scraping & compaction of existing soil during preparation. There may be a large root immediately beneath asphalt. CRZ is 48'. See plan
88	Sycamore	18	Good	CRZ=18' These trees will be easier to protect than oak. Generally are less sensitive to larger CRZ. Could reduce to 75% or 3/4' per 1" DBH. Perhaps continue process from oak #87 to the south of sycamore #92
89	Sycamore	12	Good	CRZ=12'
90	Sycamore	16	Good	CRZ=16'
91	Sycamore	24	Good	CRZ=24'
92	Sycamore	20	Good	CRZ=20'
93	Tree row of Eucalyptus globulus and oak	variable	Good/fair & poor	Excavation and grading will not impact tree if existing retaining wall remains. Remove trees that are dangerous or leaning precariously onto the wall toward the bldgs. Some side pruning on eucalyptus and oaks will be prudent to reduce weight, overhanging limbs and improve clearance.

Please contact me with any questions.

Prepared by:

Bill Spiewak
 Bill Spiewak
 Registered Consulting Arborist #381
 American Society of Consulting Arborists

Board Certified Master Arborist #310-B
 International Society of Arboriculture

